Heritage Elementary (Water Boiler)

Write down the number for pressure and temp, not just an "X"

If you need to call in a job sheet, make sure you write down the work order # on this report.												
<u>Initials:</u>		Twice Da	aily	Daily				Twice Daily		Daily		
		Boiler Pressure (0-30 lbs)	Boiler Temp. (80-190)	Air Comp. Pressure, # on the gauge & operation	Walk-in Freezer & Cooler			Boiler Pressure (0- 30 lbs)	Boiler Temp. (80-190)	Air Comp. Pressure, # on the gauge & operation	Walk-in Freezer & Cooler	
1	am					17	am					
1	pm					1/	pm					
2	am					18	am					
	pm						pm					
3	am					19	am					
	pm						pm					
4	am					20	am					
	pm						pm					
5	am					21	am					
	pm						pm					
6	am					22	am					
	pm						pm					
7	am					23	am					
	pm						pm					
8	am					24	am					
	pm						pm					
9	am					25	am					
	pm						pm					
10	am					26	am					
	pm						pm					
11	am						am					
	pm						pm					
12	am						am					
	pm						pm					
13	am					29	am					
	pm						pm					
14	am					30	am					
	pm						pm					
15	am					31	am					
	pm					pm Post this report in the boiler room & write your findings daily or as indicated.						
16						At the end of the month, share with your principal & email to						
	pm					dsd	dcustodial@dsdmail.net or fax to 27881.					

Each individual boiler requires a separate report throughout the year.

The Boiler Room is NOT to be used for storage. Keep ALL COMBUSTIBLE MATERIAL OUT of the room! Nightly Lock-Up: Ensure the boiler is on prior to locking up for the night.

Boiler# U School Heritage El											
				Boiler Room In		eport	Month/Year				
					Boiler						
	Twice a Week										
		1st Wee	k - 2 times	2nd Week	- 2 times	3rd Week- 2	times	4th Week -	2 times		
1	Check water softener										
2	Amount of salt added (if applicable)										
	applicable)			Every	Week						
		1st	Week	2nd W		3rd We	ek	4th We	eek		
1	Observe boiler through firing										
1	cycle										
2	Record expansion tank's water level. (1/4, 1/3, 1/2)										
	a) Check air compressor oil										
3	level										
	b) Drain water from tank.										
	(More often if needed) Check heating pumps for:										
	a) bearing noise										
4						+					
	b) leaking seals										
	c) correct pressure										
	Check domestic hot water pur	nps tor:									
5	a) Broken couplers										
	b) Motor mounts										
	c) Leaks										
_	Check sump pump operation-										
6	enter: "runs" or "won't run"										
	Sweep floor, dust equipment										
7	& piping.(If not asbestos)										
_	Check & write down water										
8	meter reading.										
	Oil domostic hot water			Every I	Month						
1	Oil domestic hot water pumps & motors										
2	Flush down low water cut-										
_	off.										
3	Check for leaks on heating equipment & associated										
_	Check digital reading on										
4	water heater for error codes										
7	Gen. radiator-fluid level										
8	Gen. battery-water level										
9	Gen. engine oil level										
	Log hour meter to verify unit						End of mont	h reading:			
10	has exercised since last										
	month										
	Fan Room										
11	Check oil on heat pumps										
Check filters											
Every other month											
1	Check pop-off valve operation										
	Concerns/Issues regarding your boiler(s) & room:										